

Quiz Summary

[Section Filter ▾](#)
[Student Analysis](#)
[Item Analysis](#)

Ⓜ Average Score

94%

⤴ High Score

100%

⤵ Low Score


84%

⊖ Standard Deviation

2.73

⌚ Average Time

37:37



Question Breakdown

Attempts: 14 out of 14

Many considerations influence the relative cost of materials used in millwork, including availability, transportation, manufacturing processes, installation, maintenance and life cycle.

-0

Discrimination Index ?

True

14

100 %



respondents

False

0 %

100%
answered
correctly

Attempts: 14 out of 14

Linoleum is warm to the touch, Class A fire rated, flame resistant and will not melt.

-0Discrimination
Index ?**True**14
respondents**100 %**✓ 100%
answered
correctly

False

0 %

Attempts: 14 out of 14

Metal is fabricated and installed as interior millwork using a wide variety of means and techniques, depending on the application and whether or not the metal is a sheet good, extruded bar stock or cast element.

-0Discrimination
Index ?**True**14
respondents**100 %**✓ 100%
answered
correctly

False

0 %

Attempts: 14 out of 14

Paint is the most economical wall surfacing finish that provides color to the interior and moderate protection to the substrate but if the wall is heavily textured it may be necessary to order an additional 20 percent.

-0

Discrimination
Index (?)

True	14 respondents	100 %	✓ 100% answered correctly
False		0 %	

Attempts: 14 out of 14

Patterned wallcoverings require an additional 10-15 percent for seaming and waste depending on the scale of the repeat.

-0

Discrimination
Index (?)

True	14 respondents	100 %	✓ 100% answered correctly
False		0 %	

Attempts: 14 out of 14

It is the contractor's responsibility to order the correct amount of wallcovering to be installed, however, it is helpful for a designer to know

how to estimate the amount required for budgeting purposes.

-0.08

Discrimination
Index (?)

True	13 respondents	93 %	✓ 93% answered correctly
False	1 respondents	7 %	

Attempts: 14 out of 14

For healthcare interiors, residential wallpapers are often used.

-0

Discrimination
Index (?)

True		0 %	100% answered correctly
False	14 respondents	100 %	✓ answered correctly

Attempts: 14 out of 14

+0.78

Millwork is free-standing furniture. Discrimination
Index (?)

True	2 respondents	14 %	86% answered correctly
False	12 respondents	86 %	✓ answered correctly

Attempts: 14 out of 14 **+0.78**

Millwork includes Discrimination
Index 

chairs		0 %	
free-standing desks	2 respondents	14 %	
tables		0 %	
none of the above	12 respondents	86 %	

86%
answered
correctly

Attempts: 14 out of 14

-0

Millwork includes doors and windows. Discrimination
Index 

True	14 respondents	100 %	 100% answered correctly
False		0 %	

Attempts: 14 out of 14

Millwork includes stair railings if they are made from wood.

-0Discrimination
Index (?)

True	14 respondents	100 %	✓ 100% answered correctly
False		0 %	

Attempts: 14 out of 14

Substrates of particleboard disintegrate when exposed to moisture.

-0Discrimination
Index (?)

True	14 respondents	100 %	✓ 100% answered correctly
False		0 %	

Attempts: 14 out of 14

Terrazzo is a type of commercial wallcovering made of silk.

-0Discrimination
Index (?)

True		0 %	
False	14	100 %	✓

respondents

100%
answered
correctly

Attempts: 14 out of 14

+0.93

Terrazzo was the first synthetic agglomerate.

Discrimination
Index (?)

True	11 respondents	79 %	✓ 79% answered correctly
False	3 respondents	21 %	

Attempts: 14 out of 14

Terrazzo consists of stone fragments held together by cement.

-0Discrimination
Index (?)

True	14 respondents	100 %	✓ 100% answered correctly
False		0 %	

Attempts: 14 out of 14

Agglomerates that contain natural stone elements are referred to as engineered stone.

-0Discrimination
Index (?)

True	14 respondents	100 %	✓ 100% answered correctly
False		0 %	

Attempts: 14 out of 14

Extracting materials from earth is generally not sustainable.

+0.43Discrimination
Index (?)

True	13 respondents	93 %	✓ 93% answered correctly
False	1 respondents	7 %	

Attempts: 14 out of 14

-0Concrete may be precast or cast-in-place. Discrimination
Index (?)

True	14 respondents	100 %	✓ 100% answered correctly
False		0 %	

Attempts: 14 out of 14

Glass is a solidified liquid as it changes from a liquid to a solid with no crystalizing.

+0.43

Discrimination
Index (?)

True	13 respondents	93 %	✓ 93% answered correctly
False	1 respondents	7 %	

Attempts: 14 out of 14

-0

The basic component of glass is sand. Discrimination
Index (?)

True	14 respondents	100 %	✓ 100% answered correctly
False		0 %	

Attempts: 14 out of 14

Laminated glass is designed to break into thousands of pieces.

-0

Discrimination
Index (?)

True		0 %	100% answered correctly
False	14 respondents	100 %	✓ answered correctly

Attempts: 14 out of 14 **+0.93**

Glass

Discrimination
Index (?)

never contains heavy metals

0 %

does not emit VOCs

11
respondents

79 %



produces poor IAQ

0 %

all of the above

3
respondents

21 %

79%

answered
correctly

Attempts: 14 out of 14

Residential standards are always more stringent than healthcare standards for interiors.

-0

Discrimination
Index (?)

True

0 %

False

14
respondents

100 %

100%

✓ answered
correctly

Attempts: 14 out of 14

Linoleum

+0.4Discrimination
Index (?)

has a distinct scent	10 respondents	71 %	✓
is made in the USA		0 %	
has no off-gassing	3 respondents	21 %	
all of the above	1 respondents	7 %	

71%
answered
correctly

Attempts: 14 out of 14 **+0.12**

Linoleum

Discrimination
Index (?)

is Class A fire rated		0 %	
tends to amber		0 %	
is antimicrobial	1 respondents	7 %	
all of the above	13 respondents	93 %	✓

93%
answered
correctly

Attempts: 14 out of 14

Linoleum

may be repaired	6 respondents	43 %	✓
is anti-static	3 respondents	21 %	
resists moisture	3 respondents	21 %	
all of the above	11 respondents	79 %	

21%
answered
correctly

Attempts: 14 out of 14

Oxidize means the gradual deterioration of metal by chemical reaction when exposed to weather, moisture and corrosive agents

+0.49

Discrimination
Index (?)

True	9 respondents	64 %		36% answered correctly
False	5 respondents	36 %	✓	

Attempts: 14 out of 14

An example of oxidization is when copper acquires a greenish patina.

-0

Discrimination
Index (?)

True	14 respondents	100 %	✓ 100% answered correctly
False		0 %	

Attempts: 14 out of 14 **-0**

Plastics

Discrimination
Index (?)

Some give off formaldehyde		0 %	
Some give off phenol		0 %	
Some give off other VOCs		0 %	
all of the above	14 respondents	100 %	✓

100%
answered
correctly

Attempts: 14 out of 14

An example of oxidization is when copper acquires a greenish patina.

-0

Discrimination
Index (?)

True	14 respondents	100 %	✓ 100% answered correctly
False		0 %	

Attempts: 14 out of 14

-0

Examples of thermoplastics include

Discrimination
Index (?)

acrylic		0 %	
nylon		0 %	
polystyrene		0 %	
All of the above	14 respondents	100 %	✓

100%
answered
correctly

Attempts: 14 out of 14

+0.63

Examples of thermoset plastics include

Discrimination
Index (?)

Fiberglass Resin	10 respondents	71 %	✓
Polyvinyl Chloride (PVC)	1 respondents	7 %	
Acrylonitrile butadiene styrene (ABS)	2	14 %	

respondents

None of the above

1
respondents

7 %

71%
answered
correctly

Attempts: 14 out of 14

Plastic Laminate was invented in 1912 as electrical insulation.

+0.12Discrimination
Index ?

True	13 respondents	93 %	✓ 93% answered correctly
False	1 respondents	7 %	

Attempts: 14 out of 14

High pressure decorative laminate (HPDL) consists of thin layers of resin-impregnated kraft paper & coated with veneer of melamine.

-0Discrimination
Index ?

True	14	100 %	✓
-------------	----	--------------	---

respondents

False

0 %

100%
answered
correctly

Attempts: 14 out of 14

Plastic laminate contains post-consumer and pre-consumer recycled content.

-0

Discrimination
Index (?)

True14
respondents**100 %**✓ 100%
answered
correctly

False

0 %

Attempts: 14 out of 14

Plastic laminate with fine textures and low sheen minimize fingerprints & scratches.

-0

Discrimination
Index (?)

True14
respondents**100 %**✓ 100%
answered
correctly

False

0 %

Attempts: 14 out of 14

-0

Corian is considered a solid surface material.

Discrimination
Index ?

True	14 respondents	100 %	✓ 100% answered correctly
False		0 %	

Attempts: 14 out of 14

Corian was developed in 1960s to replace human bones.

+0.43Discrimination
Index ?

True	13 respondents	93 %	✓ 93% answered correctly
False	1 respondents	7 %	

Attempts: 14 out of 14

Solid surface materials may include any of the following: quartz minerals, polyester resins, acrylic polymer, alumina trihydrate, cultured marble, granite, slate, marble or concrete

-0Discrimination
Index (?)

True	14 respondents	100 %	✓ 100% answered correctly
False		0 %	

Attempts: 13 out of 14

Alabaster, marble and limestone are all found in Oklahoma.

-0Discrimination
Index (?)

True	13 respondents	93 %	✓ 93% answered correctly
False		0 %	
No Answer	1 respondents	7 %	

Attempts: 14 out of 14

Soapstone is chemical resistant and may be used in laboratories.

-0Discrimination
Index (?)

True	14	100 %	✓
-------------	----	--------------	---

respondents

False

0 %

100%
answered
correctly

Attempts: 14 out of 14

Marble resists wine stains and would be a good choice for a bar countertop.

+0.78Discrimination
Index (?)

True	2 respondents	14 %	86% answered correctly
False	12 respondents	86 %	✓

Attempts: 14 out of 14

Balsa wood is one of the lightest, least dense woods there is, and is therefore considered a softwood.

+0.43Discrimination
Index (?)

True	1 respondents	7 %	
False	13 respondents	93 %	✓

93%
answered
correctly

Attempts: 14 out of 14

Hardwood trees are angiosperms, plants that produce seeds with some sort of covering. (apple or acorn etc.).

-0

Discrimination
Index ?

True	14 respondents	100 %	✓ 100% answered correctly
False		0 %	

Attempts: 14 out of 14

-0

Pine is a softwood. Discrimination
Index ?

True	14 respondents	100 %	✓ 100% answered correctly
False		0 %	

Attempts: 14 out of 14

Marble distributes heat evenly without cracking and a good application for marble is for fireplaces and hearths.

-0

Discrimination
Index (?)

True	14 respondents	100 %	✓ 100% answered correctly
False		0 %	

Attempts: 14 out of 14 **-0**

Tempered Glass Discrimination
Index (?)

is float glass that has been subjected to
special heating cooling processes
during manufacturing

0 %

is very strong

0 %

all of the above

14
respondents

100 %

none of the above

0 %

100%
answered
correctly

Attempts: 14 out of 14 **-0**

Radius edges Discrimination
Index (?)

are user-friendly

0 %

wear better than sharp edges

0 %

all of the above

14

100 %

respondents

none of the above

0 %

100%

answered

correctly

Attempts: 14 out of 14

-0

Quartz countertops

Discrimination
Index (?)

are non-porous

0 %

are highly sanitary

0 %

resist staining

0 %

all of the above14
respondents**100 %**

100%

answered

correctly

Attempts: 13 out of 14

-0.18

Glass

Discrimination
Index (?)

does not absorb odors

0 %

does not emit odors

0 %

all of the above12
respondents**86 %**

none of the above

1
respondents

7 %

No Answer

1
respondents

7 %

86%
answered
correctly