

Quiz Details

Quiz Instructions:

This is an open book quiz. You may take as long as you like to complete it, but you may only open and submit it once.

☒ Show Question Details

Question	0.5 pts
Basic sizes, arrangements, materials, and overall details are drawn by the designer. Many are redrawn in more detail and submitted back to the designer as done by one of the subcontractors, such as the cabinetmaker or glazing subcontractor.	
☐ shop drawings	
☐ bid documents	
☐ working drawings	
☐ assembly drawings	

Question	0.5 pts
Gas fireplaces are manufactured as modular units and are offered in two basic types, _____.	
☐ vented and nonvented	
☐ vented and zero-clearance	
☐ zero-clearance and nonvented	

- ☐ chase and nonchase

Question**0.5 pts**

_____ are the vertical components that hold the handrail on a stairway. These are spaced to prevent people from falling.

- ☐ Balusters
- ☐ Guardrails
- ☐ Newel posts
- ☐ Stringers

Question**0.5 pts**

The vertical part of a stair between the treads is called the_____.

- ☐ riser
- ☐ stringer
- ☐ run
- ☐ newel

Question**0.5 pts**

In interiors, the term "millwork" is often used interchangeably with _____.

- ☐ architectural woodwork
- ☐ finish woodwork
- ☐ stock cabinetry
- ☐ custom cabinetry

Question**0.5 pts**

In the kitchen and bath industry, the size of cabinetry in the drawings is often expressed in numbers, which include the _____ of the manufactured units.

- ☐ width, height, and depth
- ☐ tolerances and omissions
- ☐ wood species and grade
- ☐ field notations for demolition

Question**0.5 pts**

Cabinetry can be designed and built in a variety of ways. However, the two standard methods of construction are essentially _____.

- ☐ rail and stile, and solid construction
- ☐ hinged and frameless
- ☐ flush and grooved
- ☐ mortise and tenon

Question**0.5 pts**

The terminating baluster at the bottom or top of a stair, which is usually larger than the other balusters, is called a _____.

- ☐ newel post
- ☐ stringer
- ☐ winder
- ☐ nosing

Question**0.5 pts**

To find the total number of treads in a stair run, there is always one tread _____ number of risers, as the floor levels at each stair end are not counted as treads.

- ☐ fewer than
- ☐ equal to
- ☐ more than
- ☐ half the sum of

Question**0.5 pts**

In drawing cabinet elevations, the direction of cabinet door swings is often shown with _____ lines in the elevation.

- ☐ dashed

☐ light☐ dark☐ colored