

Quiz Details

Quiz Instructions:

You have until 8:45 to complete this open book quiz.

☒ Show Question Details

Question	1 pts
A base building drawing consists of _____ ☐ exterior walls and the core of the building ☐ exterior and interior walls ☐ exterior walls and windows ☐ all building walls and windows	

Question	1 pts
Public restrooms and vertical egress systems are part of the _____. building core core of the building core	

Question	1 pts
Although specifications are more detailed as to any particular item, you still need to include detailed information on the floor plan that would be included in the specifications.	

☐ True☐ False**Question****1 pts**

Generally, a minimum of _____ line weights should be used while drafting.

Question**1 pts**

Walls should be drawn with the darkest and thickest lines.

☐ True☐ False**Question****1 pts**

Most walls in residential and small commercial construction are built with 2 x 4 wood studs that are actually _____ in width.

Question**1 pts**

Generally, doors are drawn in the plan view in an open position showing the direction of their operation (such as a swinging door).

☐ True☐ False**Question****1 pts**

Built-in furniture, cabinetry, and other objects are drawn with _____ lines.

Question**1 pts**

Textures are represented with _____ lines.

Question**1 pts**

In frame walls, doors and windows are dimensioned to their centerlines, noted as a _____. From these, the builder estimates the “rough” opening.

Question**1 pts**

When a door is adjacent to a wall, as in this partial restaurant plan, it is often not necessary to dimension the door location. The builder knows the door is to be located tight to the adjacent wall and will provide the proper details and clearance

☐ True☐ False**Question****1 pts**

Columns are usually assigned a grid number and referenced to the column face for dimensioning purposes.

☐ True☐ False