

Quiz Summary

[Section Filter ▾](#)[Student Analysis](#)[Item Analysis](#)

Ⓜ Average
Score

78%

⤴ High Score

100%

⤵ Low Score


40%

⊖ Standard
Deviation

1.11

⌚ Average Time

07:58



Question Breakdown

Attempts: 16 out of 16

The Location & Transportation section of LEED for Commercial Interiors offers 5 credits and up to 28 points.

+0.67

Discrimination
Index (?)

True **3** respondents 19 %

False 13 respondents 81 % ✓
81% answered correctly

Attempts: 16 out of 16

As a default, one can assume that females use toilets

_____ times per day, while males use the toilet one time per day and the urinal two times in a typical workday.

3	6 respondents	38 %	✓
2		0 %	✓
1		0 %	✓
5		0 %	✓
Something Else	10 respondents	63 %	

38%
answered
correctly

Attempts: 16 out of 16

+0.3

MaP tests the amount of daylight entering a building.

Discrimination Index ⓘ

True	2 respondents	13 %	88% answered correctly
False	14 respondents	88 %	✓

Attempts: 16 out of 16

Electronic motion sensors on toilets and urinals to initiate flushing are recommended as water-saving devices.

+0.38

Discrimination
Index (?)

True	6 respondents	38 %	63% answered correctly
False	10 respondents	63 %	✓

Attempts: 16 out of 16

Commissioning provides a bridge between design and construction to ensure that the systems are installed and operate as the designers intended.

+0.52

Discrimination
Index (?)

conceptual and preliminary design		0 %	
schematic & design development	1 respondents	6 %	
design and construction	13 respondents	81 %	✓
construction administration and POEs	2 respondents	13 %	

81%
answered
correctly