


Quiz Summary

Section Filter ▾

Student Analysis

Item Analysis

⌚ Average Score	⬆️ High Score	⬇️ Low Score	⌚ Standard Deviation	⌚ Average Time
90%	100%	67%	1.11	13:01



Question Breakdown

Attempts: 31 out of 31

To show stairways, include an arrow to indicate up or down from the previous floor level.

+0.41

Discrimination Index ⓘ

True 7 respondents 23 %

False24
respondents**77 %**✓
77%
answered
correctly

Attempts: 31 out of 31

+0.46

No materials should be designation on the floor plan.

Discrimination
Index (?)**True**4
respondents

13 %

87%
answered**False**27
respondents**87 %**✓
correctly

Attempts: 31 out of 31

Although most dimension lines should be outside the floor plan, it is difficult to accurately dimension interior projects without having some dimension lines within the floor plan.

-0Discrimination
Index (?)**True**31
respondents**100 %**✓100%
answered
correctly**False**

0 %

Attempts: 31 out of 31

You should name or number all rooms, spaces, and corridors on a floor plan.

-0

Discrimination
Index (?)

True	31 respondents	100 %	✓ 100% answered correctly
False		0 %	

Attempts: 31 out of 31

The extension lines used for dimensioning should touch the walls.

+0.25

Discrimination
Index (?)

True	3 respondents	10 %	90% answered correctly
False	28 respondents	90 %	✓

Attempts: 31 out of 31

Where are the numbers placed when an area is too small for the dimension to go in the usual place?

- a. in the note section
- b. outside

c. below

d. outside (or sometimes below)

-0

Discrimination
Index (?)

0 %

0 %

0 %

100%
answered
correctly

d 31
respondents

100 %



Attempts: 31 out of 31

What does the amount of material information provided on a floor plan depends on?

- a. the type of material being specified
- b. the size and complexity of construction
- c. the authority having jurisdiction (AHJ)
- d. how far it is above the finished floor (AFF)

-0

Discrimination
Index (?)

0 %

0 %

0 %

b 31 100 %
respondents

✓
100%
answered
correctly

Attempts: 31 out of 31

Elevations rather than floor plans do indicate where building sections are cut.

+0.72

Discrimination
Index (?)

True 12 39 %
respondents

61%
answered

False 19 61 %
respondents

✓
correctly

Attempts: 31 out of 31

The elevation and section symbols reference other sheets, where the elevations and section drawings are shown.

+0.44

Discrimination
Index (?)

True 28 90 %
respondents

✓

False 3 10 %
respondents

90%
answered
correctly

Attempts: 31 out of 31

There are different ways to distinguish the difference between a section and elevation symbol.

+0.3

Discrimination
Index (?)

True	30 respondents	97 %	✓ 97% answered correctly
False	1 respondents	3 %	

Attempts: 31 out of 31

Dimensions on a floor plan generally do not locate the framework of the building.

-0

Discrimination
Index (?)

True		0 %	100% answered correctly
False	31 respondents	100 %	✓ answered correctly

Attempts: 31 out of 31

The centerline technique should not be used to locate exterior windows and doors.

+0.44

Discrimination
Index 

True	6 respondents	19 %	81% answered correctly
False	25 respondents	81 %	