


Quiz Summary

Section Filter ▾

Student Analysis

Item Analysis

Ⓜ Average Score	⤴ High Score	⤵ Low Score	Ⓢ Standard Deviation	⌚ Average Time
96%	100%	80%	0.31	05:40:83



Question Breakdown

Attempts: 27 out of 27

The top part of the frame for a door or window is called the

_____.

-0.12

Discrimination Index ⓘ

head

26 respondents

96 %

✓

head	1	4 %	96%
	respondents		answered
sill		0 %	correctly
jamb		0 %	

Attempts: 27 out of 27

In general, fire door assemblies are rated
at _____ of the rating of the surrounding.

-0

Discrimination
Index ?

three-fourths	27 respondents	100 %	✓
one-fourth the same number		0 %	
two-fourths one and one-half		0 %	
one-half		0 %	

100%
answered
correctly

Attempts: 27 out of 27

Similar to doors and cabinetry, the
_____ of the window size is
called out first, followed by the dimension in the other direction.

+0.52

Discrimination
Index (?)

width	25 respondents	93 %	✓ 93% answered correctly
height	1 respondents	4 %	
area		0 %	
clear opening	1 respondents	4 %	

Attempts: 27 out of 27

Door hand is determined by standing on
the_____of the building or the side from
which security is desired.

+0.52

Discrimination
Index (?)

exterior	25 respondents	93 %	✓ 93% answered correctly
interior	1 respondents	4 %	
back		0 %	
passage way	1 respondents	4 %	

Attempts: 27 out of 27

Fire doors must be and have proper latching devices to contain the possible spread of fire, smoke, and toxic gases.

-0

Discrimination
Index ?

self-closing	27 respondents	100 %	✓
easily opened		0 %	
solid		0 %	
equipped with an alarm		0 %	
100% answered correctly			

Attempts: 27 out of 27

The _____ lock is named for the complete assembly that is installed in a cut-out door recess, thus making it one of the most secure locking units.

-0

Discrimination
Index ?

mortise	27 respondents	100 %	✓100% answered correctly
cylinder		0 %	
rolling lock		0 %	
hinged		0 %	

Attempts: 27 out of 27

_____are used to keep the door operation from damaging adjacent surfaces, such as walls, equipment, and other construction.

-0

Discrimination
Index ?

Door stops	27 respondents	100 %	✓
Door strikes		0 %	
Door astragals		0 %	
Panic hardware pieces		0 %	

100%
answered
correctly

Attempts: 27 out of 27

A window that is hinged at the top and can swing in or out is called _____ window.

+0.52

Discrimination
Index ?

an awning	25 respondents	93 %	✓ 93% answered correctly
a hopper		0 %	
a double hung		0 %	

a casement 2 7 %
respondents

Attempts: 27 out of 27

The bottom part of the frame for a door or window is called the _____.

+0.29

Discrimination
Index

sill	25 respondents	93 %	✓ 93% answered correctly
jamb	2 respondents	7 %	
crown		0 %	
head		0 %	

Attempts: 27 out of 27

A window that is hinged at the bottom and can swing in or out is called _____ window.

+0.52

Discrimination
Index

a hopper	25 respondents	93 %	✓ 93% answered correctly
a jalousie		0 %	
a casement	2 respondents	7 %	

a double hung

0 %