


Quiz Summary

Section Filter ▾

Student Analysis

Item Analysis

⌚ Average Score	⬆️ High Score	⬇️ Low Score	⌚ Standard Deviation	⌚ Average Time
92%	100%	0%	2.47	05:47



Question Breakdown

Attempts: 32 out of 32

The preferred way to roll a drawing is to do it with the printed iformation on the _____.

+0.08

Discrimination Index ?

inside 3 respondents 9 %

outside	29	91 %	✓
	respondents		91%
folded edge		0 %	answered
bias		0 %	correctly

Attempts: 32 out of 32

When hand lettering on a drawing, most designers prefer _____ strokes in lettering.

+0.07

Discrimination
Index (?)

slanted	29	91 %	✓
	respondents		
horizontal		0 %	
vertical	3	9 %	
	respondents		
varying direction		0 %	
91% answered correctly			

Attempts: 32 out of 32

In manual drawings, it is good practice to start the drawing at the _____ portion of the sheet and progress toward the bottom of the paper.

+0.15Discrimination
Index (?)

bottom	1 respondents	3 %	97% answered correctly
middle		0 %	
lower		0 %	
upper	31 respondents	97 %	✓

Attempts: 32 out of 32

When using common line types for construction drawings,
_____ lines are used to show major slices in an object
or building.

+0.3Discrimination
Index (?)

hidden	1 respondents	3 %	97% answered correctly
center		0 %	
cutting	31 respondents	97 %	✓
leader		0 %	

Attempts: 32 out of 32

Generally, in architectural drawings, _____ lines are used to
represent cutting planes and contours (or outer boundaries) of an object.

+0.17

Discrimination
Index (?)

broken	1 respondents	3 %	97% answered correctly
heavy	31 respondents	97 %	✓
light		0 %	
dashed		0 %	

Attempts: 32 out of 32

In the _____ phase of the design process, some drawings might be in the form of visual abstractions that portray basic issues, ideas, concepts, and physical relationships.

+0.63

Discrimination
Index (?)

conception	30 respondents	94 %	✓
construction	2 respondents	6 %	
Design development		0 %	
final		0 %	
94% answered correctly			

Attempts: 32 out of 32

_____ is a particular type of drawing that conveys specific information about somethings's size, composition, assembly, materials, and other exacting characteristics.

+0.33

Discrimination
Index (?)

Sketching	1 respondents	3 %	97% answered correctly
Tracing		0 %	
Ideation		0 %	
Drafting	31 respondents	97 %	✓

Attempts: 32 out of 32

_____ lines indicate areas or objects not visible on the surface, or objects hidden behind others. They are also used to show objects above the cutting plane of a floor plan, such as wall cabinets, beams, arches, and so on.

-0

Discrimination
Index (?)

Hidden	31 respondents	97 %	✓97% answered correctly
Contour		0 %	
Cutting	1 respondents	3 %	

Center

0 %

Attempts: 32 out of 32

In drawings, the commonly used abbreviation AFF, used in floor plans and electrical plans, stands for _____.

+0.78

Discrimination
Index (?)

Above First Floor	2 respondents	6 %	
All Finished Faces	1 respondents	3 %	
Above Finished Floor	29 respondents	91 %	✓
All Furniture and Fixtures		0 %	

91%
answered
correctly

Attempts: 32 out of 32

Good lettering is made primarily by implementing
_____.

+0.24

Discrimination
Index (?)

consistency	31 respondents	97 %	✓ 97% answered correctly
emphasis		0 %	
slanting	1 respondents	3 %	
heights		0 %	