


Quiz Summary

Section Filter ▾

Student Analysis

Item Analysis

⌚ Average Score	📈 High Score	📉 Low Score	⌚ Standard Deviation	⌚ Average Time
76%	96%	56%	2.52	21:30



Question Breakdown

Attempts: 32 out of 32

The scientific measurement of the human body is referred to as _____.

+0.36

Discrimination Index ?

Anthropometrics

31 respondents

97 %

✓

Sociofugal		0 %
Proxemics		0 %
Ergonomics	1 respondents	3 %

97%
answered
correctly

Attempts: 32 out of 32

Locating evidence related to human factors could be which of the following?

+0.05

Discrimination
Index (?)

Evidence related to ways to apply Universal Design	3 respondents	9 %
Evidence related to problems related to non-adjustable furniture in the workplace		0 %
All of the following	29 respondents	91 %
Evidence related to problems in placement of furniture and personal space		0 %

91%
answered
correctly

Attempts: 32 out of 32

Which of the following refers to the distance zone of 18 inches to 4 feet?

+0.35

Discrimination
Index (?)

Social Space	1 respondents	3 %	
Intimate space	2 respondents	6 %	
Public space	8 respondents	25 %	
Personal space	21 respondents	66 %	✓

66%
answered
correctly

Attempts: 32 out of 32

Users’ needs that include physical in nature such as noise, light, temperature, humidity, and ventilation are categorized in which of the following?

+0.49

Discrimination
Index (?)

Anthropometrics		0 %	
Physiological needs	28 respondents	88 %	✓

Sociological needs	1 respondents	3 %
Psychological needs	3 respondents	9 %

88%
answered
correctly

Attempts: 32 out of 32

The research of proxemics may locate evidence on interaction of humans and the activities in which they engage.

+0

Discrimination
Index (?)

True	29 respondents	91 %	✓ 91% answered correctly
False	3 respondents	9 %	

Attempts: 32 out of 32

Evidence on the placement of fixed-feature spaces may be similar in all cultures.

+0.31

Discrimination
Index (?)

True	7	22 %
-------------	---	------

False 25 respondents 78 % 78%
 ✓ answered correctly

Attempts: 32 out of 32

In tight situations such as elevators or casinos, some people feel insecure and confined while others feel secure and stable. This is referred to as _____.

+0.31

Discrimination
 Index (?)

Sociopetal		0 %	72%
Proxemics	9 respondents	28 %	answered correctly
Sociofugal		0 %	
Crowding	23 respondents	72 %	✓

Attempts: 32 out of 32

The application of ADA regulations is more important than Universal Design.

+0.46

Discrimination
 Index (?)

True 16 respondents 50 %

False

16

respondents

50 %

50%

answered
correctly

Attempts: 32 out of 32

-0.04

Wayfinding incorporates the use of _____.

Discrimination
Index (?)

Color-coding the pathway

0 %

Cognitive mapping

3

respondents

9 %

Directories

0 %

All of the below

29

respondents

91 %

91%

answered
correctly

Attempts: 32 out of 32

Where can one locate evidence on wayfinding for adults with disabilities?

+0.17Discrimination
Index (?)

Green design magazines

0 %

None of the above

9

respondents

28 %

Research summaries from

23

72 %

InformeDesign, ASID knowledge center, or IIDA knowledge center

Kitchen and Bath Design magazines


72% answered correctly

respondents

0 %

Attempts: 32 out of 32

The goal of healthcare design is to understand each specialized area and the design needs of the specific assignment, and to develop appropriate design solutions and specifications.



Attempts: 32 out of 32

In 1896, the Health Insurance Portability and Accountability Act (HIPPA) became law.

+0.26

Discrimination Index (?)

True	3	9 %
------	---	-----

False

29 respondents

91 %

91% answered correctly

Attempts: 32 out of 32

Due to the wide range of services provided by the medical community, there are many types of healthcare facilities. The two most familiar and most frequently built types of facilities: the _____ and the hospital.

+0.36

Discrimination Index (?)

dental office	9 respondents	28 %	
medical office suite	17 respondents	53 %	✓
surgicenter	6 respondents	19 %	
doc-in-the-box		0 %	

53% answered correctly

Attempts: 32 out of 32

_____MOBs will have a service core with the elevators, stairs, mechanical equipment, and public restrooms either in

the center of the building or in another appropriate location.

+0.45

Discrimination
Index (?)

single story		0 %	
Multistory	28 respondents	88 %	✓
atrium building	4 respondents	13 %	
eighteenth-century		0 %	

88%
answered
correctly

Attempts: 32 out of 32

Hospitals have more extensive code restrictions and more limitations on materials specifications due to state health department regulations.

-0

Discrimination
Index (?)

True	32 respondents	100 %	✓100% answered correctly
False		0 %	

Attempts: 32 out of 32

All upholstery and other textile products are tested for off-gassing or other toxic characteristics.

+0.59

Discrimination
Index (?)

True	25 respondents	78 %	✓	22% answered correctly
False	7 respondents	22 %		

Attempts: 32 out of 32

Specify products based on their total life-cycle cost, including maintenance, durability, and embodied energy.

+0.29

Discrimination
Index (?)

product rep's recommendation	3 respondents	9 %	✓
aesthetic appearance	2 respondents	6 %	
wholesale price	1 respondents	3 %	
life-cycle cost	26 respondents	81 %	
81% answered correctly			

Attempts: 32 out of 32

Textiles used for seating, cubicle curtains, and window treatments must always be fire retardant in hospitals including physicians areas.

+0.38Discrimination
Index (?)

True	29 respondents	91 %		9% answered correctly
False	3 respondents	9 %	✓	

Attempts: 32 out of 32

A portion of patient rooms and their associated toilet facilities must be designed to be accessible. The exact number will be based on the _____ of facility.

+0.4Discrimination
Index (?)

size and type	12 respondents	38 %	✓	38% answered correctly
permit office		0 %		
building code	14 respondents	44 %		
AHJ	6 respondents	19 %		

Attempts: 32 out of 32

Issues such as sanitation, maintenance, and bacterial growth on materials and finishes will not impact product specification.

-0

Discrimination
Index ?

True		0 %	100%
False	32 respondents	100 %	✓ answered correctly