

Quiz Summary

Section Filter ▾

Student Analysis

Item Analysis

Average Score

93%

High Score

100%

Low Score


60%

Standard Deviation

0.59

Average Time

11:36



Question Breakdown

Attempts: 33 out of 33

Which of the following is not part of contract documents?

+0.69Discrimination
Index ?

Architectural drawings, including furniture plans	2 respondents	6 %	91% answered correctly
Schedules for lighting and wall finishes	1 respondents	3 %	
Written specifications concerning build-out		0 %	
Communications between GC and sub	30 respondents	91 %	✓

Attempts: 33 out of 33

You placed the following statement in the specifications for a bank project. "Lobby seating shall be by ABC Chair Corp., and vendors may not substitute specified products." This statement represents which type of specification?

-0Discrimination
Index ?

Open specification	0 %
Performance specification	0 %
Reference specification	0 %

Closed specification33
respondents**100 %**✓100%
answered
correctly

Attempts: 33 out of 33

If the following appeared in a set of specifications, "All items are base bid. No substitutes or alternates will be accepted." What kind of bid specification has been written?

+0.81Discrimination
Index (?)

Performance	4 respondents	12 %	79% answered correctly
Reference	1 respondents	3 %	
Descriptive	2 respondents	6 %	
Proprietary	26 respondents	79 %	✓

Attempts: 33 out of 33

"Addenda" is a document most associated with **+0.27**

Discrimination
Index (?)

The scheduling process	1 respondents	3 %	94% answered correctly
Schematic design		0 %	
The bid process	31 respondents	94 %	✓
Design development	1 respondents	3 %	

Attempts: 33 out of 33

Mary discovered a error in the floor plans after the contract to order custom cabinets for a client had been awarded to a cabinet company. Which document should Mary use to convey the necessary changes to the cabinet company?

-0

Discrimination
Index (?)

Modify the purchase order		0 %	
A change order to correct the problem	33 respondents	100 %	✓

An addendum to correct the problem

0 %

Modify the design contract

0 %

100%
answered
correctly